Diabetes Basics



Contents

Welcome to Diabetes Basics! What is Diabetes **What are Diabetes Complications Preventing Complications Low Blood Sugar High Blood Sugar Foot Care** 12 **Using the Plate Method** 13 **Reading a Nutrition Facts Label** 14 **Diabetes Portion Chart** 15 **Diabetes Nutrition** 16 **Benefits of Regular Exercise** 17 **Types of Physical Activity** 18 **Diabetes Resources** 19 **Diabetes 3-Day Food Record** 20 **Personal Goals**



Welcome to Diabetes Basics!

Congratulations on taking this step toward good health. Diabetes is serious, but with good care you can live a long and healthy life. Diabetes Basics is an excellent update for people with diabetes and is a must for anyone with a new diagnosis. The 3-part program covers what you need to know to help manage your diabetes, such as making healthy food choices, learning how to use your blood sugar meter and how medications work. We encourage you to bring a family member or friend along to learn with you.

You will learn to use the tools to achieve good diabetes control:

- Test blood sugar and keep a record of the results
- Make healthy food choices
- Be physically active
- Work towards a healthy weight
- Find the medication that works best for you and take it the right way

If you have questions about diabetes or about our program, please contact us:

Endocrinology and Diabetes Education Department: 805-681-7820

Health Resource Center: 805-681-7672

www.SansumClinic.org

We look forward to getting to know you and helping you have the best health possible. Sincerely,

The Sansum Clinic Diabetes Education Team








Christina Archer, RDN






Diana Bullock, RN, CDCES Gerri French, RDN, CDCES



Lily Yip, PharmD, CDCES

What is Diabetes?

If you or someone you know has diabetes, you are not alone. Millions of people have diabetes. Diabetes cannot be cured yet, but it can be managed. The most common types of diabetes are **Type 1** and **Type 2**.



Type 1

In Type 1 diabetes, the body makes little or no insulin due to an overactive autoimmune system. Insulin is an essential hormone produced by the pancreas that regulates blood sugar. So people with Type 1 diabetes must take insulin everyday. Type 1 diabetes usually occurs in children and young adults, but it can also appear in older adults. For more information about Type 1 diabetes please talk to your doctor. Your doctor may refer you to a specialist for close monitoring and management.

Type 2

Type 2 diabetes is the most common form. It is the focus of this booklet. In Type 2 diabetes, your body initially makes insulin but does not use it properly or it may not make enough insulin. Some risk factors for Type 2 diabetes include family history, being overweight or obese, inactive lifestyle, and having certain ethnic backgrounds.

Diabetes Diagnostic Criteria

DIAGNOSIS	RESULTS: FASTING TEST	RESULTS: NON-FASTING TEST (CASUAL PLASMA GLUCOSE TEST)	AIC
Normal	Less than 100 mg/dl	Less than 140 mg/dl	4.0% - 5.6%
Pre-diabetes	100 – 125 mg/dl	140 – 200 mg/dl	5.7% - 6.4%
Diabetes	126 mg/dl or greater on two occasions	200 mg/dl or greater on two occasions and with symptoms of diabetes present	6.5% and above


What Happens in Type 2 Diabetes?


When you eat, some of your food is broken down into sugar (also called glucose). Sugar enters the blood and is needed by cells for energy. Insulin is a hormone produced by the pancreas that allows sugar to enter your cells.

- With Type 2 diabetes your body does not use insulin properly. This is called insulin resistance.
- Initially your pancreas produces extra insulin to make up for insulin resistance.
- Over time the pancreas becomes overworked and damaged and isn't able to make enough insulin to keep your sugar levels at normal levels.
- As a result sugar levels get too high in the blood. Too much sugar in the blood over time causes damage throughout the body.

Lifestyle changes can help keep your sugars at or near normal levels. Changes include reducing carbohydrates and calories, getting regular exercise and managing stress.

Medication may also be needed, especially as diabetes progresses. Each medication lowers blood sugars in different ways and sometimes multiple medications are needed to achieve blood sugar goals.





Know Your A1C

Your physician will order a test called an A1C which measures your estimated average blood sugar level over the past 2 to 3 months. It tells how well you are controlling your blood sugar over time. The higher the A1C the higher the risk for developing diabetes related complications. Your A1C is made up of 2 blood sugar measurements:

- Fasting Glucose This is your blood sugar number when you have been fasting (not eating) for at least 8 hours
- Postprandial Glucose This is your blood sugar number after a meal or snack.

Your A1C and your blood sugar levels go up and down together. The chart here shows how A1C relates to the estimated average blood sugar levels over the past 2 to 3 months.

A1C levels	Average blood sugar		
6%	126 mg/dL		
7%	154 mg/dL		
8%	183 mg/dL		
9%	212 mg/dL		
10%	240 mg/dL		
11%	269 mg/dL		
12%	298 mg/dL		



Adapted from the American Diabetes Association. Standards of medical care in diabetes—2016. Diabetes Care. 2016;39(suppl 1):S1-S112

Many doctors recommend a target A1C of 7.o. Ask your doctor for your personal A1C target. It is recommended that you get an A1C test at least 2 times a year.

Check Your Blood Sugar

Checking your blood sugar with a glucose monitoring device or meter can be an important part of your diabetes care plan. When your blood sugar is at normal levels, you feel better, have more energy, reduce your risk of infections, improve sleep, and have less chance of developing problems from diabetes. Checking blood sugar will tell you:

- If your treatment plan is working to help lower your blood sugar levels
- How food, exercise and stress affect your blood sugar levels.

How to Check Your Blood Sugar

Many different kinds of blood sugar meters are available today. Your diabetes care team can help you choose a meter and show you how to use it. It is important to write down your blood sugar levels so that you can keep track of what makes them go up or down. Some meters also keep a record of your past blood sugar levels. Bring your meter and written records to your medical appointments to review with your provider.

When to Check Your Blood Sugar

You and your diabetes care team will decide when and how often you should check your blood sugar. Initially you may be asked to check more often to learn the effects of medication and lifestyle. Here are some times when you may want to check:

- At bedtime and when you wake up to see if your blood sugar stays in control while you are asleep
- Before meals or snacks to know what your blood sugar is before you start eating
- 1 to 2 hours after meals to see how the food you eat affects your blood sugar
- Before and after physical activity to learn how being active affects your blood sugar

Talk with your health care provider to learn how often and when you should check your blood sugar.

Blood Sugar Goals:


- Fasting and before meals: 80 to 130 mg/dL
- 1 to 2 hours after meals: less than 180 mg/dL

These are general guidelines. Your diabetes care team may suggest a lower goal to meet your individual needs.



What are Diabetes Complications?

Diabetes complications are health problems that can occur when blood glucose remains high over a long period of time.



Eye disease (diabetic retinopathy) Decreased vision and in some cases, blindness.

Mouth problems, such as gum disease or problems with teeth.

Heart and blood vessel diseases (cardiovascular diseases), such as heart attack, stroke, and peripheral artery disease (poor blood flow in the feet and legs). Two out of three people with diabetes die from heart disease or stroke.

Kidney disease (diabetic nephropathy) The kidneys may not work as well or may stop working.

Erectile dysfunction, when a man has trouble getting or keeping an erection.

Nerve damage (diabetic neuropathy) Numbness, tingling, or pain in the arms, hands, legs, and feet.

Foot problems, such as infections and sores, and in some cases, amputation.

Following your diabetes management plan and taking an active role in your treatment are two important ways that you can help to prevent or delay diabetes complications.

Talk with your healthcare provider for more information.

Preventing Complications

Know Your ABC's for Diabetes

ABC'S	TARGET	CHECK IT
A = A1c Represents average blood glucose over past 90 days	6.5 - 7.0 or less Individualized for you	Every 3 to 6 months
B = Blood Pressure	140/90 Individualized for you	Every doctor visit
C = Cholesterol		
Total Cholesterol	Less than 200	Every 6 to 12 months
● LDL (Lousy Cholesterol)	70 – 100 Individualized for you	Every 6 to 12 months
• HDL (Healthy Cholesterol)	Greater than 40 (men) Greater than 50 (women)	Every 6 to 12 months
Triglycerides	Less than 150	Every 6 to 12 months

Other self care tasks to prevent complications

- Annual Urine Microalbumin Tests for early stage kidney impairment.
- Annual Dilated Eye exam by an ophthalmologist Screening for retinopathy and prevents vision loss.
- Annual Flu Vaccine and one-time Pneumonia Vaccine unless your doctor advises against it.
- Dental exam every 6 months to prevent gum disease.
- Daily foot care and annual foot exam to prevent amputations.



Low Blood Sugar (Hypoglycemia)

Causes

You might get low blood sugar (also called hypoglycemia) if you:

- Take certain medicines and eat too few carbohydrates
- Skip or delay meals
- Take too much insulin or diabetes pills (ask your diabetes care team if this applies to you)
- Are more active than usual

Signs & Symptoms

Here's what may happen when your blood sugar is low:









Sweaty



Dizzy



Confusion and difficulty speaking



Hungry



Weak or tired



Headache



Nervous or upset

If low blood sugar is not treated, it can become severe and cause you to pass out. If low blood sugar is a problem for you, talk to your doctor or diabetes care team.

What to do if you think you have low blood sugar



Check your blood sugar right away if you have any symptoms of low blood sugar. If it is 70 or less, treat it. If you think your blood sugar is low but cannot check it, treat anyway.



Treat by eating or drinking 15 grams of something high in sugar, such as:

- 4 ounces (1/2 cup) of regular fruit juice (like orange, apple, or grape juice)
- 4 ounces (1/2 cup) of regular soda pop (not diet)
- 8 ounces (1 cup) of milk
- 3 or 4 glucose tablets
- 5 to 6 candies that you can chew quickly (such as mints)



Wait 15 minutes and then check your blood sugar again. If it is still low, eat or drink something high in sugar again. Once your blood sugar returns to normal, eat a meal or snack. This can help keep low blood sugar from coming back.



High Blood Sugar (Hyperglycemia)

Causes

High blood sugar (also called hyperglycemia) is when there is too much sugar in your blood. Over time, it can cause serious health problems. High blood sugar can happen if you:

- Skip a dose of insulin or diabetes pills
- Eat more than usual
- Are less active than usual.
- Are under stress or sick

What to do about high blood sugar

The best way to avoid high blood sugar is to follow your diabetes care plan. Call your diabetes care team if your blood sugar has been higher than your goal for 3 days and you don't know why.

Of course, the best way to know if you have high blood sugar is to check your blood sugar regularly, as directed by your doctor.

Signs & Symptoms

Here's what may happen when your blood sugar is high:





Very thirsty



Needing to pass urine more than usual



Very Hungry



Sleepy



Blurry vision



Infections or injuries heal more slowly than usual

Foot Care for People with Diabetes

People with diabetes have to take special care of their feet. You should have a comprehensive foot exam by your doctor every year. Have your feet examined during every visit if you have problems with your feet, like loss of feeling, changes in the shape of your feet, or foot ulcers. This page shows some more things you can do on your own every day to keep your feet healthy.

Wash your feet in warm water every day. Test the water with your elbow to make sure that it is not too hot.

Dry your feet well, especially between the toes.

Keep the skin soft with a moisturizing lotion, but do not apply it between the toes.

Inspect your feet every day for cuts, sores, blisters, redness, calluses, or other problems. If you cannot see well, ask someone else to check your feet for you. Report any changes in your feet to your diabetes care team right away.

Ask your diabetes care team or your podiatrist (foot specialist) how you should care for your toenails. If you want to have a pedicure, talk with your team about whether it is safe for you.

To avoid blisters, always wear clean, soft socks that fit you. Do not wear socks or knee-high stockings that are too tight below your knee.

Always wear shoes that fit well. Break them in slowly.

To avoid injuring your feet, never walk barefoot indoors or outdoors.

Before putting your shoes on, feel the insides for sharp edges, cracks, pebbles, nails, or anything that could hurt your feet. Let your diabetes care team know right away if you injure your foot.




















Using the Plate Method

The plate method is an easy way to have healthy meals that help you to manage your blood sugar. Choose a 9-inch plate and fill half the plate with vegetables. Divide the other half plate into one part carbohydrates and one part protein. This method helps you to have the right portions.



Reading a Nutrition Facts Label

Almost all foods that come in packages have a **Nutrition Facts** label. Those labels tell you just about everything you need to know to make healthy food choices. So it's a good idea to learn how to read them.

Serving Size

What you eat is important, but so is how much you eat. Start by looking at the serving size. The serving size tells you the amount of calories and nutrients you get in that serving. There may be multiple servings in a container.

Calories

If you are trying to lose weight, gain weight or keep your weight the same the number of calories you eat counts. Read the nutrition facts label to compare the calories for various foods you eat.

Total fat

This line tells you how much fat is in a serving of food. Saturated fats are found mostly in animal foods and should be reduced.

Trans fats are manmade and can increase your risk for heart disease. Choose foods with zero trans fats. Fat from plant sources, such as avocado and nuts, are beneficial. All fats do not raise blood sugar and contribute to feelings of fullness.

Sodium

Sodium does not affect your blood sugar, but too much may increase blood pressure. Intake of no more than 2300 mg (1 teaspoon) a day is recommended. Limiting table salt is important, but reading food labels can help you identify foods which are lower in sodium.



Talk with your diabetes care team about what to include in your meal plan.

Total carbohydrate

Foods with carbohydrates raise your blood sugar. Distributing carbohydrates throughout the day is helpful. The label will make it easier for you to count carbohydrates. Total Carbohydrate includes dietary fiber, total sugar and added sugar.

Fiber

Fiber is the part of plant foods the body does not digest. Adults should eat more than 25 grams per day. Fiber in foods helps to improve blood sugars.

Sugars

The amount of sugar determines how sweet the food is. Sugar raises blood sugar quickly. Choose foods with less sugar.

Added Sugars

Includes sugars that are added during processing.
This includes sugars from corn syrup, sugar, honey, etc.
Added sugars have empty calories that replace calories from more nutritious foods and can lead to unwanted weight gain. In contrast, naturally occurring sugars such as those found in fruit contain fiber, vitamins and minerals.

Protein

Protein is important for the body and should be part of every meal. It helps keep you full and does not raise blood sugar.

Diabetes Portion Chart

These Foods *RAISE* Your Blood Sugar (Carbohydrates)

Bread, Grains, & Starchy Vegetables





Milk and Yogurt



1 serving = 15 grams



1 serving = 15 grams

1 serving = 15 grams

1/2 cup dry beans/lentils (cooked)

1/2 cup green peas

1/2 cup grits or oatmeal (cooked)

1/2 cup pasta

1/2 cup mashed potato

1/3 cup brown rice or quinoa (cooked)

1 slice wheat bread

1/2 English muffin

3/4 cup dry, unsweetened cereal

1 corn tortilla

1/2 flour tortilla

1/2 hot dog/burger bun

1/4 large bagel

4" pancake or waffle

1/2 cup corn

3 cups popcorn

5-6 crackers

12-15 chips

10 french fries

1 serving = 15 grams

1 small fruit:

Apple

- Pear
- Peach Orange

1/2 medium banana

1 cup berries:

- Strawberry
- Blueberry
- Raspberry

1 cup melon:

- Cantaloupe
- Honeydew
- Watermelon

15 grapes or cherries

1/2 cup canned fruit in light syrup or juice

1/2 cup frozen fruit

2 Tbsp. raisins

3 prunes

8 ounce milk

8 ounce plain yogurt

8 ounce yogurt with artificial sweetener

Review nutrition label for almond, soy and rice milk and yogurt

-----AVOID------

1/2 cup ice cream

1/4 cup sherbet

1/2 glazed doughnut

6 vanilla wafers

2 oreo cookies

1/2 cup pudding, sugar free

2-inch unfrosted brownie

3 graham cracker squares

3 peppermints

5 chocolate kisses

1 Tootsie roll pop

4 oz fruit juice

These Foods *DO NOT RAISE* Your Blood Sugar

Non-Starchy Vegetables



1 serving = 1 cup raw or 1/2 cup cooked 5+ servings/day

Meat and Protein



4-6 ounces per day

Use in moderation

Asparagus

Green Beans

Beets

Broccoli

Brussel Sprouts

Cabbage

Carrots

Cauliflower

Celery

Cucumbers

Greens

Mushrooms

Onions

Peppers

Radishes

Squash

Spinach Tomatoes

Turnips

Fish

Shellfish

Chicken

Turkey Beef

Pork

Lamb

Tempeh

Tofu

Plain Greek Yogurt

Cottage Cheese

Nut butter (unsweetened)

Nuts Seeds

Edamame

Cheese

Unsaturated, More Healthy

- Avocado
- Nut butter (unsweetened)
- Nuts
- Seeds
- Olive oil
- Canola oil
- Mayonnaise
- Vegetable oil

Saturated, Less Healthy

- Bacon
- Butter
- Cream
- Cream cheese
- Gravy
- Margarine
- Sausage
- Shortening Sour cream

Diabetes Nutrition

RECOMMENDED	NOTES	CHANGES I CAN MAKE
Reduce Sugary Foods Eat fewer foods high in sugar and carbohydrates.	Foods of Concern: Soda, coffee drinks, fruit drinks, juice, sweet teas, sports drink, desserts and pastries.	Example: I will switch from regular soda to sparkling water or water.
2. Reduce Unhealthy Fats Eat fewer foods high in unhealthy fats.	Foods of Concern: Fried foods (including chips), fatty meat, poultry skin, high fat dairy, creamy dressings, trans fats and hydrogenated oils (margarine, pastries, regular peanut butter).	Example: I will switch from fried chicken to roasted chicken.
3. Eat Foods with Fiber Fiber is found in plant foods.	Foods to Increase: Vegetables (cooked and raw), salads, leafy greens, whole grains (brown rice, oats, barley, quinoa), beans, lentils.	
4. Balance Meals Get lasting energy by eating a lot of vegetables with a lean protein, healthy fat, and carbohydrate.	Distribute Carbohydrates It's better to eat a little carbohydrate at each meal rather than "saving" your carbohydrates for one main meal. Try to eat every 3-4 hours.	Example: Reduce my portion size of pasta and add more vegetables.
5. Be More Active Schedule exercise into your calendar.	Increase Activity Regular but moderate exercise is better than intense but less frequent exercise. Do it with a friend, at home, outside or at a gym. Explore social media for tips/ideas.	Examples: • Stand up and stretch during TV commercial breaks. • Find easy walks and walking events at HealthyPeopleHealthyTrails.org/.
6. Read Labels	Check Nutrition Facts Label Look for serving size and amounts of carbohydrate, fiber, fat and calories.	
7. Stress Less Identify your triggers.	Monitor Emotions Take 3 deep breathes when work or life are overwhelming.	Example: I will do one thing that gives me joy each week.
8. Get Quality Sleep	Reduce Screen Time Devices keep your brain stimulated. Poor sleep = poor food choices and	• Turn off handheld devices 45-60 minutes before bed.




increased hunger.

• Practice taking deep breaths.

Benefits of Regular Physical Activity

- Helps you manage your weight
- Reduces your risk of coronary heart disease
- Reduces your risk of stroke
- Decreases blood pressure
- Reduces your risk of colon cancer
- Helps prevent and control diabetes
- May decrease "bad" (LDL) cholesterol and raise "good" (HDL) cholesterol
- Helps you sleep better
- Strengthens bones, reduces pain, and helps prevent injury
- Increases muscular strength and endurance
- Increases flexibility and range of motion
- Improves your mood
- Reduces stress and depression
- Improves self-esteem
- Makes you feel better



Types of Physical Activity

Programmed, Lifestyle, and Work physical activity all build upon each other. They help meet physical activity goals, reduce boredom, and keep both mind and body challenged! These activities help weight management and benefit your health. Here are some examples of each type of activity. Find areas where you can add or improve.

PROGRAMMED ACTIVITIES

Aerobic Activities:

- Walking
- Jogging
- Stair climbing
- Swimming
- Water walking
- Water aerobics
- Gardening
- Dancing (any type)
- Aerobics classes
- Bicycling
- Roller or ice skating
- Snow skiing
- Chair exercises
- Machines
 - Treadmill
 - Stationary bike
 - Rowing machine
 - Ski machine
 - Elliptical trainer
- Sports
 - Basketball
 - Tennis
 - Golf

Strength Activities:

- Free weights (dumbbells)
- Resistance tubes & bands
- Circuit machines
- Pilates
- Conditioning exercises
- Medicine balls

Flexibility Activities:

- Stretching
- Yoga
- Tai Chi

WORK ACTIVITIES

- Take the stairs instead of the elevator
- Stand up while you're talking on the telephone
- Walk down the hall to talk to a coworker instead of picking up the telephone or sending an e-mail
- Walk during your lunch break
- Keep a resistance band or stability ball in your office

LIFESTYLE ACTIVITIES

- Walk or ride a bicycle for transportation instead of car or bus
- Mow the grass, rake the leaves, weed the garden
- Get off the bus one stop early, and walk the rest of the way
- Walk every hole if you play golf
- Walk the dog; if you don't have one, borrow someone else's
- Do some extra laps when you are shopping at the mall
- Chop or split wood
- Wash your car
- Vacuum often
- March in place during TV commercials

Source: www.move.va.gov



Diabetes Resources

Diabetes Information	Website	Phone
American Diabetes Association	www.diabetes.org	800-Diabetes (800-342-2383)
Diabetes Resource	www.diabetesnet.com	800-988-4772
National Diabetes Education Program	www.ndep.nih.gov	800-860-8747
D-Life TV show and info	www.dlife.com	203-665-2272 or 203-454-6985
Health and Nutrition Information		
Nutrition Info	www.nutrition.gov	
American Academy of Nutrition and Dietetics	www.eatright.org	800-877-1600 01 312-899-0040
National Libraries of Medicine	www.medlineplus.gov	
Tools to Analyze Nutrition and Exercise		
Calorie King	www.calorieking.com	
My Fitness Pal	www.myfitnesspal.com	
Spark People	www.sparkpeople.com	
Diabetes Newsletters, Magazines, Books		
Diabetic Living	www.diabeticlivingonline.com	888-616-7679
Diabetes Self Management	www.diabetesselfmanagement.com	855-367-4813
Diabetes Forecast	www.diabetesforecast.org	800-806-7801
Dummies Guide to Diabetes by Alan Rubin, MD	www.drrubin.com	
Taking Control of Your Diabetes by Steve Edelman, MD	https://tcoyd.org	800-998-2693
Think Like a Pancreas by Gary Scheiner	http://integrateddiabetes.com	877-735-3648
Using Insulin by John Walsh	www.diabetesnet.com	800-988-4722
Diabetes Support		
Diabetes Online Community	www.diabetesdaily.com	
William Sansum Diabetes Center	www.sansum.org/type-1-diabetes	805-682-7638
Resources for Exercise		
Maps of easy walks, calendar of group walks	www.healthypeoplehealthytrails.org	805-708-6173
Local Recreation Department or YMCA		
School of Extended Learning, Adult Education	www.sbcc.edu/extendedlearning	805-964-6823 c 203-454-6985
Other Resources		
Sansum Clinic Health Resource Center	www.SansumClinic.org	805-681-7662
Sansum Clinic Care Manager/Medical Social Worker	www.SansumClinic.org	805-681-7580

Diabetes 3-Day Food Record

Please complete this record and bring it with you to your next diabetes appointment.

- 1. Take your blood sugar reading before each meal. Put it in the small box in the upper left corner.
- 2. List all food and the amounts you have eaten.
- 3. Take your blood sugar reading 1 to 2 hours after the start of each meal. Put it in the small box in the lower right corner.
- 4. List the amounts and types of exercise for the day.

	DATE:	/ /	DATE:	/ /	DATE:	/ /
Breakfast						
91						
Optional Snack						
Lunch						
Optional Snack						
Dinner						
Optional Snack		1		1		ı
Excercise						

Personal Goals

Choose a personal goal. You may choose a goal about food, drink, exercise, stress, sleep, checking blood sugar or something else that is important to you.

Make sure you have a SMART goal. SMART goals are Specific, Measurable, Achievable,

Relevant, and Time-bound. My goal: _____ Notes:

Source: Amerian Diabetes Association, Standards of Medical Care in Diabetes – 2019. *Diabetes Care*, January 01, 2019; volume 42, issue Supplement 1.



Our Mission

Our
To provide an excellent healthcare experience, recognizing our first priority is the patients we serve.

Our Vision

As a premier integrated delivery system, we provide high-value healthcare to the communities we serve, managing the population's healthcare needs, while also creating a model of care that will thrive in California's rapidly changing healthcare arena.



Health Resource Center 215 Pesetas Lane, Santa Barbara (805) 681-7672

Please call us today to schedule an appointment, or go to: www.sansumclinic.org









